

PRODUCTION OF VIRGIN COCONUT OIL (VCO) VIA WATER SOLUBLE
MATERIALS AND CENTRIFUGATION METHOD

KHOO CHOON GEK

Report submitted in partial fulfillment of the requirements for the award of the
Degree of Bachelor of Chemical Engineering (Chemical)

Faculty of Chemical and Natural Resources Engineering
UNIVERSITI MALAYSIA PAHANG

JANUARY 2012

ABSTRACT

The traditional ways of breaking Virgin Coconut Oil (VCO) using fermentation and heating are disadvantageous from both economic and environmental perspectives. In this study, the potentials of the water soluble, oil soluble materials that are environmentally friendly materials and centrifugation methods in demulsification of Virgin Coconut Oil (VCO). The effect of alcohols (methanol and ethanol) added to demulsification via water soluble material and centrifugation methods were also investigated. The study began with some characterization studies to provide understandings of fundamental issues such as formation, formulation and breaking of emulsions. The aim was to obtain optimized operating conditions as well as fundamental understanding of oil-in-water emulsion stability upon which further developing on demulsification process that could be developed. It was found that emulsion demulsification was related to some parameters such as water soluble concentration (0.5 v/v %), centrifugation speed (2,000 – 8,000 rpm) and processing time (30 – 90 minutes). Experimental results found that centrifugation method can enhance the demulsification in a very short time compared to the conventional fermentation method. The results obtained in this study have exposed the capability of centrifugation method in demulsification of Virgin Coconut Oil (VCO) emulsion. Further works are nevertheless required to provide deeper understanding of the mechanisms involved to facilitate the development of an optimum emulsion breaking system applicable to the industry.

Key words: Demulsification; O/W emulsion; Centrifuge; Virgin Coconut Oil (VCO); Separation

ABSTRAK

Cara-cara tradisional yang digunakan untuk menghasilkan Minyak Kelapa Dara (VCO) termasuk penapaian dan pemanasan merupakan satu kerugian dari perspektif ekonomi dan alam sekitar. Dalam kajian ini, potensi minyak bahan larut air, bahan larut minyak yang bersifat mesra alam sekitar dan kaedah sentrifugasi telah digunakan dalam demulsifikasi Minyak Kelapa Dara (VCO). Kesan penggunaan alcohol (metanol dan etanol) dalam proses demulsifikasi dengan bahan larut air dan sentrifugasi juga disiasat. Kajian ini bermula dengan beberapa kajian pencirian untuk memberi pendedahan dalam pemahaman isu-isu asas seperti pembentukan, penggubalan dan pemisahan emulsi. Tujuannya adalah untuk mendapatkan keadaan operasi optimum serta sebagai pemahaman asas terhadap kestabilan emulsi minyak dalam air untuk membangunkan lagi proses demulsifikasi. Ia mendapati bahawa beberapa parameter memainkan peranan penting dalam demulsifikasi emulsi seperti kepekatan larut air (0.5 v/v %), kelajuan sentrifugasi (2000 – 8000 rpm) serta masa pemprosesan sentrifugasi (30 – 90 minit). Keputusan uji kajian mendapati bahawa kaedah sentrifugasi boleh meningkatkan kecekapan demulsifikasi dalam masa yang singkat berbanding dengan kaedah penapaian konvensional. Keputusan yang diperolehi dalam kajian ini telah mendedahkan keupayaan kaedah sentrifugasi dalam demulsifikasi emulsi Minyak Kelapa Dara (VCO). Kerja-kerja selanjutnya dikehendaki untuk memberi kefahaman yang lebih mendalam mengenai mekanisme yang terlibat untuk memudahkan pembangunan dalam pemisahan system emulsi pada keadaan yang optimum untuk kegunaan industri.

Kata Kunci: Demulsifikasi; O/W emulsi; sentrifugasi; Minyak Kelapa Dara (VCO); Pengasingan

TABLE OF CONTENTS

BORANG PENGESAHAN STATUS TESIS	iii
SUPERVISOR'S DECLARATION	iv
STUDENT'S DECLARATION	v
DEDICATION	vi
ACKNOWLEDGEMENTS	vii
ABSTRACT.....	viii
ABSTRAK	ix
TABLE OF CONTENTS	x
LIST OF TABLES	xv
LIST OF FIGURES	xviii
LIST OF APPENDICES	xxii
LIST OF SYMBOLS	xxiv
LIST OF ABBREVIATIONS	xxv
 CHAPTER 1 INTRODUCTION	 1
1.1 Background of Study	1
1.2 Problem Statement.....	4
1.3 Research Objectives.....	4
1.4 Scopes of Study	5
1.5 Research Questions.....	6
1.6 Rationale and Significance of Study.....	6
1.7 Summary.....	7
 CHAPTER 2 LITERATURE REVIEW.....	 8
2.1 Introduction.....	8
2.2 Definition of Virgin Coconut Oil (VCO)	9
2.3 Coconut Milk Emulsion.....	10

2.3.1	Composition of Coconut Milk Emulsion	11
2.3.1.1	Dispersed Phase	12
2.3.1.1.1	Fatty Acid Composition	12
2.3.1.1.2	Triacylglycerol (TAG) Composition.....	13
2.3.1.2	Continuous Phase	14
2.3.1.3	Chemical Composition Analysis.....	14
2.3.2	Microstructure of Coconut Milk Emulsion	16
2.3.3	Physicochemical Properties of Coconut Milk Emulsion	17
2.3.3.1	Density of Coconut Milk Emulsion	17
2.3.3.2	Viscosity of Coconut Milk Emulsion.....	18
2.3.3.3	Surface Properties of Coconut Milk Emulsion	19
2.3.3.4	Interfacial Properties of Coconut Milk Emulsion	19
2.3.3.5	Effect of Temperature to Coconut Milk Emulsion	20
2.4	Sensory Analysis of Virgin Coconut Oil (VCO)	21
2.5	Emulsion Destabilization Mechanism	22
2.5.1	Gravitational Separation.....	23
2.5.2	Stokes' Law.....	24
2.5.3	Flocculation.....	25
2.5.4	Coalescence.....	26
2.5.5	Aggregation.....	27
2.6	Hydrophile – Lipophile Balance (HLB)	29
2.7	Methods Employed in Demulsification Process	31
2.7.1	Demulsifiers - Water Soluble Materials.....	31
2.7.2	Centrifugation Method	33
2.7.3	Demulsifiers Assisted with Centrifugation Method.....	34
2.8	Advantages and Applications of Virgin Coconut Oil (VCO).....	35
2.8.1	Food Uses.....	36
2.8.2	Pharmaceuticals.....	38
2.8.2.1	Anti-microbial	38
2.8.3	Cosmetics and Body Care	39
2.9	Summary.....	40

CHAPTER 3 MATERIALS AND METHOD..... 41

3.1	Introduction.....	41
3.2	Experimental Design.....	41
3.3	Preparation of Raw Materials	43
3.4	Equipments	44
3.5	Experimental and Analytical Procedures.....	47
3.5.1	Phase I: Analysis on Stability of Coconut Milk Emulsion	47
3.5.2	Phase II: Demulsification of Coconut Milk Emulsion	48
3.5.3	Phase III: Analysis of Virgin Coconut Oil (VCO) Extracted	51
3.7	Summary.....	52

CHAPTER 4 RESULTS AND DISCUSSION..... 54

4.1	Introduction.....	54
4.2	Phase I: Analysis of the Stability of Coconut Milk Emulsion	55
4.2.1	Microstructure of Emulsion	55
4.2.1.1	Microscopy.....	55
4.2.1.2	Size Distribution.....	56
4.2.2	Density of Coconut Milk Emulsion	59
4.2.3	Rheology Properties Analysis	59
4.2.3.1	Viscosity versus Temperature	60
4.2.3.2	Viscosity versus Agitation Speed.....	63
4.2.3.3	Shear Stress versus Shear Rate	66
4.2.3.4	Viscosity versus Shear Rate	71
4.2.4	Surface and Interfacial Tensions.....	74
4.3	Phase II: Demulsification of Coconut Milk Emulsion.....	75
4.3.1	Observation of Demulsification Process	75
4.3.2	Phase Separation of Demulsification Process	87
4.3.3	Effect of Centrifugation Speed on on Virgin Coconut Oil (VCO) Recovery 92	
4.3.4	Effect of Centrifugal Processing Time on Virgin Coconut Oil (VCO) Recovery	98
4.4	Quality Characterization of Coconut Oil Extracted.....	100

4.4.1	Critical Results from Gas Chromatography – Mass Spectrometer (GC-MS) Analysis	101
4.4.2	Data Analysis	104
4.5	Summary	108
CHAPTER 5 CONCLUSIONS AND RECOMMENDATIONS		109
5.1	Introduction.....	109
5.2	Conclusion	110
5.2.1	Emulsion Stability Analysis.....	110
5.2.2	Demulsification of Coconut Milk Emulsion	112
5.2.3	Quality Characterization	114
5.3	Recommendations for Future Experimental Works	114
5.3.1	Recommendations on Emulsion Stability Analysis	115
5.3.2	Recommendation on Demulsification of Coconut Milk Emulsion.....	115
5.3.3	Recommendation on Quality Characterization	116
5.4	Summary.....	117
REFERENCES.....		119
APPENDICES.....		126
A.1.	OPTICAL MICROGRAPH OF COCONUT MILK EMULSIONS	126
A.2.	DROPLETS SIZE DISTRIBUTION FOR COCONUT MILK EMULSIONS	127
A.3	RHEOLOGY PROPERTIES OF COCONUT MILK EMULSION	129
	(BATCH 1).....	129
A.4	RHEOLOGY PROPERTIES OF COCONUT MILK EMULSION	133
	(BATCH 2).....	133
A.5	DENSITY, SURFACE TENSION AND INTERFACIAL TENSION ...	137
B.1	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION	138
	VIA CENTRIFUGATION METHOD.....	138
B.2	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION	141
	VIA OIL SOLUBLE MATERIAL AND CENTRIFUGATION METHOD.....	141
B.3	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION	143
	VIA WATER SOLUBLE MATERIAL AND CENTRIFUGATION METHOD.....	143

B.4	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA METHANOL AND CENTRIFUGATION METHOD	145
B.5	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA ETHANOL AND CENTRIFUGATION METHOD	147
B.6	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA WATER SOLUBLE MATERIAL AND METHANOL WITH CENTRIFUGATION METHOD	149
C	GAS CHROMATOGRAPHY – MASS SPECTROMETER ANALYSIS RESULTS	151

LIST OF TABLES

Table No.	Title	Page
2.1	Standard quality of virgin coconut oil (VCO) according Asian and Pacific Coconut Community (APCC) standard (Adapted from Bioasli Inc.)	28
2.2	Average Composition in Coconut Milk Emulsion (Adopted from Tansakul & Chaisawang, 2006)	30
2.3	Fatty Acid Composition (Adopted from Alinorm 01/07 Codex Alimentarius)	31
2.4	Triacylglycerol (TAG) Composition (Adopted from Alinorm 01/07 Codex Alimentarius)	32
2.5	Chemical composition of virgin coconut oil (VCO) (Adopted from Table 3, Marina et al., 2009b)	33
2.6	Selected HLB Group Numbers (Adopted from Bergenstahl, 1997; Friberg, 1997; & Stauffer, 1999; as cited in McClements, 2005)	48
2.7	Contents of Virgin Coconut Oil (VCO) (Adapted from Rethinam, 2004)	55
2.8	Advantages of monoglyceride monolaurin in Virgin Coconut Oil (VCO) (Adapted from Bioasli Inc.)	57
3.1	Summary Table for Raw Materials Used	62
3.2	Summary Table for Equipments Used	64
3.3	Methodology for Phase II: Demulsification of Coconut Milk Emulsion	67
3.4	Fatty Acid Compositions of Virgin Coconut Oil (VCO)	70
3.5	Summary Table for Calculation of Total Samples Needed	71
4.1	Statistical Values for Size Distribution of Coconut Milk Emulsions	76

4.2	Viscosity versus Temperature for Coconut Milk Emulsion (Batch 1)	78
4.3	Viscosity versus Temperature for Coconut Milk Emulsion (Batch 2)	79
4.4	Viscosity versus Agitation Speed for Coconut Milk Emulsion (Batch 1)	81
4.5	Viscosity versus Agitation Speed for Coconut Milk Emulsion (Batch 2)	82
4.6	Shear Stress versus Shear Rate for Coconut Milk Emulsion (Batch 1)	84
4.7	Shear Stress versus Shear Rate for Coconut Milk Emulsion (Batch 2)	85
4.8	Viscosity versus Shear Rate for Coconut Milk Emulsion (Batch 1)	89
4.9	Viscosity versus Shear Rate for Coconut Milk Emulsion (Batch 2)	90
4.10	Observations for Demulsification of Coconut Milk Emulsion via Centrifugation Method after 24hours	93
4.11	Observations for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Oil Soluble Material and Centrifugation Method after 24hours	95
4.12	Observations for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Water Soluble Material and Centrifugation Method after 24hours	97
4.13	Observations for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Methanol and Centrifugation Method after 24hours	99
4.14	Observations for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Ethanol and Centrifugation Method after 24hours	102
4.15	Observations for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Water Soluble Material and Methanol with Centrifugation Method after 24hours	103
4.16	Settling Velocity of Oil Droplets of Two Batches of Coconut	113

	Milk Emulsion with Different Centrifugal Processing Speed	
4.17	Chosen Samples for Gas Chromatography – Mass Spectrometer (GC-MS) Analysis	120
4.18	Quality Characteristics of Coconut Oil Recovery Samples	121
4.19	Age of Coconut Milk Emulsion with the Content Percentage of Acid Lactone (6,6-dimethyltetrahydro-2H-pyran-2-one) Existed	125

LIST OF FIGURES

Figure No.	Title	Page
2.1	Schematic Diagram of Oil-in-Water Emulsion	30
2.2	Coconut milk emulsion consisting of oil droplets dispersed in an aqueous (water) medium. (Adopted from McClements, 2005)	35
2.3	Figure of variation of shear stress with the rate of deformation for Newtonian and non-Newtonian fluids. (Adapted from Figure 2 – 14, Cengel and Cimbala, 2006)	37
2.4	Interfaces are often assumed to be planar surfaces of infinitesimally small thickness. (Adopted from McClements, 2005)	39
2.5	The molecular origin of interfacial tension at a liquid-liquid interface is the imbalance of the attractive forces acting on the molecules in the interface. The length of the arrows is related to the strength of the attraction between molecules. Hence, water-water interactions are considerably stronger than oil-oil or oil-water interactions.	39
2.6	Visual appearance after thermal treatments of coconut milk emulsions prepared with no additive (a). Open bars represent serum layer, filled bars represent cream layer, and diagonal crisscrossed bars represent coagulated layer. (Adopted from Figure 1, Tangsuphoom & Coupland, 2009b)	40
2.7	Emulsion may become unstable through a variety of physical mechanisms, including creaming, sedimentation, flocculation, coalescence, and phase inversion. (Adopted from McClements, 2005)	42
2.8	Emulsions are prone to creaming because of the density difference between the oil and water phases. (Adopted from McClements, 2005)	43
2.9	Schematic representation of the time dependence of droplet creaming in oil-in-water emulsions. Droplets move upward until they cannot move any further and then form a “creamed” layer. Layer droplets tend to move upward faster than smaller	44

	ones. (Adopted from McClements, 2005)	
2.10	Droplet aggregation involves a number of physiochemical processes, including droplet approach, film thinning, thin film formation, and thin film rupture. Those processes are strongly dependent on the colloidal and hydrodynamic interactions between the droplets. The overall aggregation rate and the type of aggregation that occurs depend on which of these processes are rate limiting. (Adopted from McClements, 2005)	45
2.11	Droplet coalescence leads to a growth in the mean droplet diameter and may eventually lead to complete separation of the oil and aqueous phases. (Adopted from McClements, 2005)	45
2.12	Scheme of Action of Destabilization Mechanism Responsible for Emulsion Breakdown. (Adopted from Chiralt, 2005)	46
2.13	Types of Emulsion (Adopted from EAC Industrial Ingredients.)	48
2.14	HLB Characteristic of Emulsions (Adopted from EAC Industrial Ingredients.)	48
2.15	Schematic representation of possible processes during emulsion breakdown. (Adopted from EAC Industrial Ingredients.)	49
3.1	Experimental Design	60
3.2	Different layers are often observed in an emulsion undergoing creaming: (i) an upper “cream” layer; (ii) a middle layer; (iii) a lower “serum” layer	68
4.1	Optical micrograph using reflected fluorescent light showing Oil-in-water (O/W) emulsion. The continuous water phase (darker phase) shows dispersed oil droplets (bright droplets) for Batch 1 emulsion.	73
4.2	Optical micrograph using reflected fluorescent light showing Oil-in-water (O/W) emulsion. The continuous water phase (darker phase) shows dispersed oil droplets (bright droplets) for Batch 2 emulsion.	74
4.3	Histogram of size distribution for coconut milk emulsion (Batch 1).	75
4.4	Histogram of size distribution for coconut milk emulsion (Batch 2).	75

4.5	Effect of Temperature to Viscosity of Coconut Milk Emulsion for Different Agitation Speed (Batch 1)	79
4.6	Effect of Temperature to Viscosity of Coconut Milk Emulsion for Different Agitation Speed (Batch 2)	80
4.7	Effect of Agitation Speed to Viscosity of Coconut Milk Emulsion at Different Temperature (Batch 1)	82
4.8	Effect of Agitation Speed to Viscosity of Coconut Milk Emulsion at Different Temperature (Batch 2)	83
4.9	Shear Stress versus Shear Rate at Different Temperature for Coconut Milk Emulsion (Batch 1)	84
4.10	Shear Stress versus Shear Rate at Different Temperature for Coconut Milk Emulsion (Batch 2)	86
4.11	Typical flow curves of shear stress versus shear rate (Schramm, 1996).	86
4.12	Viscosity versus Shear Rate at Different Temperature for Coconut Milk Emulsion Batch 1	89
4.13	Viscosity versus Shear Rate at Different Temperatures for Coconut Milk Emulsion Batch 2	90
4.14	Typical flow curves of viscosity versus shear rate (Schramm, 1996).	91
4.15	Separation of creaming part itself for samples runs at 2,000rpm for 30, 60 and 90 minutes.	101
4.16	Phase Separation of Demulsification of Coconut Milk Emulsion via Centrifugation Method	106
4.17	Phase Separation for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Oil Soluble Material and Centrifugation Method	106
4.18	Phase Separation for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Water Soluble Material and Centrifugation Method	107
4.19	Phase Separation for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Methanol and Centrifugation Method	107
4.20	Phase Separation for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Ethanol and	108

Centrifugation Method

4.21	Phase Separation for Demulsification of Coconut Milk Emulsion via a Concentration of 0.5 v/v% Water Soluble Material and Methanol with Centrifugation Method	108
4.22	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Time of 30 minutes.	111
4.23	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Speed of 60minutes.	112
4.24	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Speed of 90minutes.	112
4.25	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Speed of 2,000rpm	117
4.26	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Speed of 5,000rpm	117
4.27	Comparison of VCO Yield via Various Combination of Demulsification Method under a Centrifugal Processing Speed of 8,000rpm	118
4.28	Comparison of Fatty Acid Composition of VCO Yield under Different Centrifugation Conditions	122
4.29	Comparison of Lauric Acid, C12 Content in VCO Yield under Different Conditions	124
4.30	Comparison of Myristic Acid, C14 Content in VCO Yield under Different Conditions	124
4.31	Relationships between Age of Batch 1 Coconut Milk Emulsion with Amount of Acid Lactone Content	126
4.32	Relationships between Age of Batch 2 Coconut Milk Emulsion with Amount of Acid Lactone Content	126
5.1	Effect of viscosity to temperature at 100RPM	150

LIST OF APPENDICES

Appendix No.	Title	Page
A.1	OPTICAL MICROGRAPH OF COCONUT MILK EMULSIONS	145
A.2	DROPLETS SIZE DISTRIBUTION FOR COCONUT MILK EMULSIONS	146
A.3	RHEOLOGY PROPERTIES OF COCONUT MILK EMULSION (BATCH 1)	148
A.4	RHEOLOGY PROPERTIES OF COCONUT MILK EMULSION (BATCH 2)	152
A.5	DENSITY, SURFACE TENSION AND INTERFACIAL TENSION	156
B.1	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA CENTRIFUGATION METHOD	157
B.2	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA OIL SOLUBLE MATERIAL AND CENTRIFUGATION METHOD	159
B.3	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA WATER SOLUBLE MATERIAL AND CENTRIFUGATION METHOD	161
B.4	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA METHANOL AND CENTRIFUGATION METHOD	163
B.5	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA ETHANOL AND CENTRIFUGATION METHOD	165
B.6	RESULTS FOR DEMULSIFICATION OF COCONUT MILK EMULSION VIA WATER SOLUBLE MATERIAL AND METHANOL WITH CENTRIFUGATION METHOD	167

C	GAS CHROMATOGRAPHY – MASS SPECTROMETER ANALYSIS RESULTS	169
D	SCHEDULE FOR UNDERGRADUATE RESEARCH PROJECT	

LIST OF SYMBOLS

v_0	-	Settling Velocity
ρ_w	-	Water Density
ρ_o	-	Oil Density
r	-	Radius of Rotation
ω	-	Angular Velocity of Centrifugation
d	-	Diameter of Droplets
μ_w	-	Viscosity of Water Phase

LIST OF ABBREVIATIONS

APCC	-	Asia and Pacific Coconut Community
GC – MS	-	Gas Chromatography-Mass Spectrometer
HLB	-	Hydrophile – Lipophile Balance
MCT	-	Medium Chain Triglycerides
O/W	-	Oil-in-Water
TAG	-	Triacylglycerol
VCO	-	Virgin Coconut Oil
v/v	-	Volume / Volume Ratio
W/O	-	Water-in-Oil

CHAPTER 1

INTRODUCTION

1.1 Background of Study

The production of Virgin Coconut Oil (VCO) or it is also known as the demulsification (emulsion breaking) of coconut milk is through the extraction of oil from an emulsion of coconut milk. A coconut milk emulsion consists of two immiscible liquids, which is coconut oil and water, with the coconut oil layers dispersed as small spherical droplets in the water layers in a continuous phase that cannot be separated easily (Friberg, 1997; as cited in Tangsuphoom and Coupland, 2009a). It means that coconut milk exist as a natural oil-in-water emulsions that is being extracted from the endosperm of mature coconut oil (*Cocos nucifera L.*), either with or without the addition of water (Seow and Gwee, 1997; as cited in Marina et al., 2009a). The main components of coconut milk are water and fats, with carbohydrates, proteins and ash as minor components (Tansakul and Chaisawang, 2005).

On the other hand, one of the chemical property of coconut milk emulsions is the unfavourable contact between coconut oil droplets and water molecules and it

Created with



nitroPDF[®] professional

download the free trial online at nitropdf.com/professional

causes the emulsion exists thermodynamically unstable and readily separates into two distinct phases – a heavy aqueous phase and a lighter cream phase (Cancel, 1979; Gonzales, 1990; as cited in Nour et al., 2009). The reason behind this phenomenon is the protein contents and quality in coconut milk is not sufficient to stabilize the fat globules (Monera and del Rosario, 1982; as cited in Tangsuphoom and Coupland, 2009). However, the coconut milk emulsion is known to be naturally stabilized by coconut proteins – globulins, albumins and phospholipids (Birose et al., 1963; as cited in Tangsuphoom and Coupland, 2008). Therefore, this concept can be apply in production of VCO, which is the coconut oil extracted from well matured and fresh coconut through specialized process without changing its natural nutrition as they were present in their original state in coconut milk emulsions.

In past, the conventional method used to produce VCO is via fermentation method. “Fermentation” is a natural separation of coconut oil from water by gravity separation. This involves splitting the nut, grating the meat to fine particle, squeezing the milk either manually or by mechanical means with or without water, and allowing the coconut milk to ferment for 36 to 48 hours. During this time, the heavier water will separates from coconut oil by sinking to the bottoms and discharged out, while the lighter coconut solids float to the top (curds). In between the coconut solids and water is a crystal clear coconut oil (cream) that is completely unrefined. The oil is then slightly heated (less than boiling temperatures) for a short time (5 to 15 minutes depending on the air temperatures) to remove any remaining moisture, and then filtered to further recovered some coconut oil. The result is a clear coconut oil that retains the distinct scent and taste of coconuts (Tropical Traditions Inc.).

As an engineer, we need to think based on 3Es – Environment, Economic and Engineering. As a result, the water soluble materials and centrifugation methods had been introduced in order to increase the yield of VCO and at the same time to reduce the production costs and time consuming in the production process.

Despite of this, the using of water soluble materials or hydrophilic chemicals is another method that has been applied in the demulsification of coconut milk to produce VCO in a shorter duration. By using a hydrophilic chemical, we can carry out the demulsification of coconut milk by damaging the bond of lipoprotein in emulsion (Nik Norulaini et al., 2009). Thus, it is very important to be precise and careful in choosing the type of chemicals that use in the separation process, make sure that the chemicals use is hydrophilic (attract to water phase) rather than lipophilic (attract to oil phase). This is due to the lipophilic chemicals will create environmental problems as well as various side effects on consumers health since VCO that is being extracted had been polluted by chemicals.

On the other hand, gravity separation is mainly associated with the slow creaming process of an oil-in-water immiscible mixture. A common way to accelerate this creaming process is by the use of centrifugation, where the high achievable rotation frequencies allowed an effective acceleration; highly superior to the simple gravitation case (Starobinets et al., 1979; Nour et al., 2009). Sometimes, gravity separation may be too slow because of closeness of the densities of the particles and the fluid, or because of association forces holding the components together (Nour et al., 2009). Gravity separation is time consuming, while centrifugal separation is accomplished in minutes (Geankoplis, 2003). The centrifuge works according to the sedimentation principle, where the centripetal acceleration is used to separate substance of greater and lesser density. By using centrifuge, it is possible to break down emulsions and to separate dispersions of fine liquid droplets; through in this case the suspended phase is in the form of liquid droplets, which will coalesce following separation of VCO from the water phase (Coulson and Richardson, 1991; as cited in Nour et al., 2009).

1.2 Problem Statement

One of the main reason that caused the highly demand of Virgin Coconut Oil (VCO) in market is due to its benefits to human being health. The facts are quoted below according to Tropical Traditions:

“VCO is the highest source of saturated medium chain triglycerides, MCT (62%). Furthermore around 50% of these MCT’s are made up of lauric acid (C_{12}), the most important essential fatty acid in building and maintaining the body’s immune system.”

Therefore, this research topic is purposed in order to find out a solution that are environmental friendly and can yield more production of VCO in a shorter time by using the water soluble materials and centrifugation method. At the same time, there is still room for improvement on the quality of VCO produced by using these two methods.

1.3 Research Objectives

As research was carrying out the on the production of Virgin Coconut Oil (VCO), there are a few objectives that need to be achieved throughout the experiment. The research objectives that are formulated and shown in below:

- i. To investigate the separation and filtration of Virgin Coconut Oil (VCO) using water soluble materials and centrifugation method.

- ii. To study the potentials of water soluble demulsifiers in demulsification (emulsion breaking) of Virgin Coconut Oil (VCO) emulsion.

With the help of the research objectives which act as a guideline throughout the research, a clearer target was set in order to achieve in the end of the research.

1.4 Scopes of Study

In this research, a new combination method in the production of Virgin Coconut Oil (VCO) was proposed, which is by water soluble material and centrifugation method. However, there are some limitations made in order to narrow down the area of field of study. The limitations of this research are as list down in below:

- i. Characterization of oil and aqueous phase of Virgin Coconut Oil (VCO).
- ii. Analyse the composition of Virgin Coconut Oil (VCO) using Gas Chromatography – Mass Spectrometer (GC-MS).
- iii. Comparing the extraction yield that will be achieved when using water soluble materials and centrifugation method.
- iv. Study the effect of extraction time for oil recovery.
- v. Study the performance of water soluble materials and centrifugation method in extraction of virgin coconut oil (VCO) from coconut milk emulsion.
- vi. Study the effect of alcohol on the performance of water soluble materials and centrifugation method in extraction of virgin coconut oil (VCO) from coconut milk emulsion.

1.5 Research Questions

In conducting this research, there are a few research questions aroused in this study and needed to be answer at the end of the research. These research questions are as shown below:

- i. What is the separation and filtration efficiency of Virgin Coconut Oil (VCO) via water soluble materials and centrifugation method?
- ii. What is the potentials water soluble demulsifiers in demulsification (emulsion breaking) of Virgin Coconut Oil (VCO)?

1.6 Rationale and Significance of Study

Virgin Coconut Oil (VCO) is growing in popularity as functional food oil and the public awareness of it is increasing. It is expected that the VCO will experience a dramatic growth in the market due to the finding from Arancon (2008); as cited in Henderson et al. (2010), the exports of VCO rose from nil in 2000 to almost 1131 metric tonnes in 2005 in Philipines. However, the conventional method – fermentation method used in production of VCO, is a time consuming process and will produce a lot of waste during the fermentation process. This will cause environmental problems like pollutions. Therefore, it is important to carry out a research in order to resolve this problem. In addition, a solution that can produce VCO in a more convenient and easy way should be formulated. Besides that, this research also aims to improve the quality of VCO extracted from coconut milk emulsions.